E LISTING

	SEQUENCE LISTING
200	(1) GENERAL INFORMATION
300	(i) APPLICANT: SIDRANSKY, DAVID
5	(ii) TITLE OF THE INVENTION: DETECTION OF HYPERMUTABLE NUCLEIC ACID SEQUENCE IN TISSUE
	(iii) NUMBER OF SEQUENCES: 40
10	 (iv) CORRESPONDENCE ADDRESS: (A) ADDRESSEE: Spensley Horn Jubas & Lubitz (B) STREET: 1880 Century Park East, Suite 500 (C) CITY: Los Angeles (D) STATE: CA (E) COUNTRY: USA (F) ZIP: 90067
15	 (v) COMPUTER READABLE FORM: (A) MEDIUM TYPE: Diskette (B) COMPUTER: IBM Compatible (C) OPERATING SYSTEM: DOS (D) SOFTWARE: FastSEQ Version 1.1
20	(vi) CURRENT APPLICATION DATA: (A) APPLICATION NUMBER: (B) FILING DATE: August 31 1994

- (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER:
- 25 (B) FILING DATE:
 - (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Tumarkin, Ph.D., Lisa A.
 - (B) REGISTRATION NUMBER: P-38,347
 - (C) REFERENCE/DOCKET NUMBER: PD-3485
- 30 (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 619-455-5100
 - (B) TELEFAX: 619-455-5110
 - (C) TELEX:

	(2) INFORMATION FOR SEQ ID NO:1:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 18 base pairs	
	(B) TYPE: nucleic acid	
5	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
10	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:	-
	CTTGTGTCCC GGCGTCTG	18
	(2) INFORMATION FOR SEQ ID NO:2:	
15	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 19 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
20	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	-
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:	,
	CAGCCCAGCA GGACCAGTA	19
	(2) INFORMATION FOR SEQ ID NO:3:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 21 base pairs	
30	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	



	=
	=
	=
=	-
7	-
f)	
the the state of t	=
a	
-	=
	-
	-
Ĭ	

	(11) MOLECULE TYPE: cDNA	•
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
5	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:	
	TGGTAACAGT GGAATACTGA C	2
	(2) INFORMATION FOR SEQ ID NO:4:	
	(i) SEQUENCE CHARACTERISTICS:	
10	(A) LENGTH: 21 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	•
	(ii) MOLECULE TYPE: cDNA	
15	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
-	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:	
20	ACTGATGCAA AAATCCTCAA C	2:

(2) INFORMATION FOR SEQ ID NO:5:

	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 26 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
5	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
10	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	
	GATGGGCAAA CTGCAGGCCT GGGAAG	26
	(2) INFORMATION FOR SEQ ID NO:6:	•
	(1) SECTIONCE CHARACTERICATES.	
15	(i) SEQUENCE CHARACTERISTICS:	
10	(A) LENGTH: 27 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
20	(iii) HYPOTHETICAL: NO	
20	(iv) ANTISENSE: NO	
	<pre>(v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:</pre>	
	(VI) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	•
25	GCTACAAGGA CCCTTCGAGC CCCGTTC	- · 27
		27
	(2) INFORMATION FOR SEQ ID NO:7:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 24 base pairs	
	(B) TYPE: nucleic acid	
30	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	

	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
	GATGGTGATG TGTTGAGACT GGTG	24
5	(2) INFORMATION FOR SEQ ID NO:8:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 24 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
10	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	_
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
15	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
	GAGCATTTCC CCACCCACTG GAGG	24
	(2) INFORMATION FOR SEQ ID NO:9:	
	(i) SEQUENCE CHARACTERISTICS:	•
20	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	-
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	→
	(ii) MOLECULE TYPE: cDNA	
25	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(x1) SEQUENCE DESCRIPTION: SEQ ID NO:9:	
30	GTTCTGGATC ACTTCGCGGA	20
	(2) INFORMATION FOR SEQ ID NO:10:	



	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
5	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
10	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:	
	TGAGGATGGT TCTCCCCAAG	20
	(2) INFORMATION FOR SEQ ID NO:11:	
	(i) SEQUENCE CHARACTERISTICS:	
15	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
20	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(x1) SEQUENCE DESCRIPTION: SEQ ID NO:11:	
25	AGTGGTGAAT TAGGGGTGTT	20
	(2) INFORMATION FOR SEQ ID NO:12:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	
00	(B) TYPE: nucleic acid	
30	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	

	(v) FRAGMENT TYPE:	
•	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:	
	CTGCCATCTT GTGGAATCAT	20
5	(2) INFORMATION FOR SEQ ID NO:13:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 21 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
10	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	-
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
15	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:	
	CTGTGAGTTC AAAACCTATG G	21
	(2) INFORMATION FOR SEQ ID NO:14:	
	(i) SEQUENCE CHARACTERISTICS:	
20	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	-
	(ii) MOLECULE TYPE: cDNA	
25	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:	
30	GTGTCAGAGG ATCTGAGAAG	20
	(2) INFORMATION FOR SEC ID NO.15.	



	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: sizeland	
5	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
10	(v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:	
	GCACGCTCTG GAACAGATTC TGGA	24
	(2) INFORMATION FOR SEQ ID NO:16:	•
	(i) SEQUENCE CHARACTERISTICS:	
15	(A) LENGTH: 24 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
20	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:	_
25	ATGAGGAACA GCAACCTTCA CAGC	24
	(2) INFORMATION FOR SEQ ID NO:17:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
30	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	

	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:	
	TCACTCTTGT CGCCCAGATT	20
5	(2) INFORMATION FOR SEQ ID NO:18:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
10	(C) STRANDEDNESS: single	
10	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	-
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
15	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:	
	TATAGCGGTA GGGGAGATGT	20
	(2) INFORMATION FOR SEQ ID NO:19:	
	(i) SEQUENCE CHARACTERISTICS:	
20	(A) LENGTH: 22 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
25	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:	
30	TGCAAGGAGA AAGAGAGACT GA	22
	(2) INFORMATION FOR SEC ID NO.20.	



	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
5	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	•
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
10	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:	
	AACAGGACCA CAGGCTCCTA	20
	(2) INFORMATION FOR SEQ ID NO:21:	-
	(i) SEQUENCE CHARACTERISTICS:	
15	(A) LENGTH: 18 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
20	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:	_
25	CAGACGCCGG GACACAAG	18
	(2) INFORMATION FOR SEQ ID NO:22:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 19 base pairs	
	(B) TYPE: nucleic acid	
30	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	

	<pre>(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: NO</pre>	
	(v) FRAGMENT TYPE:	
5	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:	
	TACTGGTCCT GCTGGGCTG	19
	(2) INFORMATION FOR SEQ ID NO:23:	
	(i) SEQUENCE CHARACTERISTICS:	
10	(A) LENGTH: 21 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	•
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
15	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	•
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:	
20	GTCAGTATTA CCCTGTTACC A	21
	(2) INFORMATION FOR SEQ ID NO:24:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 21 base pairs	-
_	(B) TYPE: nucleic acid	
25	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
30	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:	

GTTGAGGATT TTTGCATCAG T

(2) INFORMATION FOR SEQ ID NO:25:

	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 26 base pairs	
	(B) TYPE: nucleic acid	
5	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
10	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:	
	CTTCCCAGGC CTGCAGTTTG CCCATC	20
	(2) INFORMATION FOR SEQ ID NO:26:	
15	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 27 base pairs	• •
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
20	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:	
	GAACGGGGCT CGAAGGGTCC TTGTAGC	2
	(2) INFORMATION FOR SEQ ID NO:27:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 24 base pairs	
30	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	

(ii) MOLECULE TYPE: cDNA

	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
5	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:	
	CACCAGTCTC AACACATCAC CATC	24
	(2) INFORMATION FOR SEQ ID NO:28:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 24 base pairs	
10	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	-
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
15	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:	
	CCTCCAGTGG GTGGGGAAAT GCTC	24
20	(2) INFORMATION FOR SEQ ID NO:29:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	-
	(C) STRANDEDNESS: single	•
25	(D) TOPOLOGY: linear	

	<pre>(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: NO (v) FRAGMENT TYPE:</pre>	
5	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:	
	TCCGCGAAGT GATCCAGAAC	20
	(2) INFORMATION FOR SEQ ID NO:30:	
	(i) SEQUENCE CHARACTERISTICS:	
10	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	-
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
15	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:	
20	CTTGGGGAGA ACCATCCTCA	20
	(2) INFORMATION FOR SEQ ID NO:31:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	-
	(B) TYPE: nucleic acid	
25	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	·
	(iv) ANTISENSE: NO	
30	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:	

AACACCCCTA ATTCACCACT

(2) INFORMATION FOR SEQ ID NO:32:

	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
5	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
10	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:	
	ATGATTCCAC AAGATGGCAG	20
	(2) INFORMATION FOR SEQ ID NO:33:	
15	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 21 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
20	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	_
25	(x1) SEQUENCE DESCRIPTION: SEQ ID NO:33:	·
	CCATAGGTTT TGAACTCACA G	21
	(2) INFORMATION FOR SEQ ID NO:34:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	
30	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	

	(111) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
5	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:	
	CTTCTCAGAT CCTCTGACAC	20
	(2) INFORMATION FOR SEQ ID NO:35:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 24 base pairs	
10	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	•
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
15	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:	
	TCCAGAATCT GTTCCAGAGC GTGC	24
20	(2) INFORMATION FOR SEQ ID NO:36:	
	(i) SEQUENCE CHARACTERISTICS:	•
	(A) LENGTH: 24 base pairs	
	(B) TYPE: nucleic acid	-
	(C) STRANDEDNESS: single	-
25	(D) TOPOLOGY: linear	

-	
	•
	-
-	_
===	ž
3	
, FEE	:
22	_
	_
Haller Harry	_
-	
==	
_	_
Ξ	_
₽	
z .	
	-
-	_
=	
100	_
-	ä
allerando, graphicapio de de lateriorista lateriorista properties prope	=
<i>a</i> .	
	Ī
	i
عج	ş
	_

5	<pre>(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: NO (v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:</pre>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:	
	GCTGTGAAGG TTGCTGTTCC TCAT	24
	(2) INFORMATION FOR SEQ ID NO:37:	
	(i) SEQUENCE CHARACTERISTICS:	
10	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	-
	(ii) MOLECULE TYPE: cDNA	•
15	(iii) HYPOTHETICAL: NO	
	(iv) ANTISENSE: NO	
	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:	
20	AATCTGGGCG ACAAGAGTGA	20
	(2) INFORMATION FOR SEQ ID NO:38:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	~
•	(B) TYPE: nucleic acid	-
25	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(iii) HYPOTHETICAL: NO	
00	(iv) ANTISENSE: NO	
30	(v) FRAGMENT TYPE:	
	(vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:	

ACATCTCCCC TACCGCTATA

(2) INFORMATION FOR SEQ ID NO:39:

5	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 22 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear
	(ii) MOLECULE TYPE: cDNA
	(iii) HYPOTHETICAL: NO
	(iv) ANTISENSE: NO
10	(v) FRAGMENT TYPE:
	(vi) ORIGINAL SOURCE:
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:
	TCAGTCTCTC TTTCTCCTTG CA
	(2) INFORMATION FOR SEQ ID NO:40:
15	(i) SEQUENCE CHARACTERISTICS:
	(A) LENGTH: 20 base pairs
	(B) TYPE: nucleic acid
	(C) STRANDEDNESS: single
	(D) TOPOLOGY: linear
20	(ii) MOLECULE TYPE: cDNA
	(iii) HYPOTHETICAL: NO
	(iv) ANTISENSE: NO
	(v) FRAGMENT TYPE:
	(vi) ORIGINAL SOURCE:
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:
	TAGGAGCCTG TGGTCCTGTT

22

20